



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Stendec Crystal Oil 5.0wt

Product number 7017

Internal identification GHS21448

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Suspension and Hydraulic Fluid

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Super Alloy Racing Ltd

Plough Farm House

Greenfield Rd

Holywell

CH8 7PZ

UK

+44 (0) 1352 710999

+44 (0) 7413 134763

info@superalloyracing.com

Manufacturer STENDEC LTD

Plough Farm House

Greenfield Rd

Holywell

CH8 7PZ

UK

+44 (0) 1743 232200

+44 (0) 1743 353584

info@superalloyracing.com

1.4. Emergency telephone number

Emergency telephone +44(0) 7413 134763

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified  
Health hazards Not Classified  
Environmental hazards Not Classified  
Classification (67/548/EEC or  
1999/45/EC)  
Not Classified

## 2.2. Label elements

1/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

Hazard statements NC Not Classified

Precautionary statements P501 Dispose of contents/container in  
accordance with national regulations.

Supplemental label  
information

EUH210 Safety data sheet available on request.

## 2.3. Other hazards

This product does not contain any substances classified as PBT or  
vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Lubricating Oil (Petroleum) C15-30 hydro treated neutral oil based  
30-60%

CAS number: 72623-86-0 EC number: 276-737-9 REACH registration  
number: 01-

2119474878-16-XXXX

Classification

Asp. Tox. 1 - H304

Classification (67/548/EEC or 1999/45/EC)

-

Highly refined mineral oil 30-60%

CAS number: 64742-52-5 EC number: 265-155-0 REACH registration  
number: 01-

2119467170-45-XXXX

Classification

Not Classified

Classification (67/548/EEC or 1999/45/EC)

-

Lubricating oil (petroleum) C20-C50, hydrotreated, neutral oil  
based

1-5%

CAS number: 72623-87-1 EC number: 276-738-4

Classification

Asp. Tox. 1 - H304

Classification (67/548/EEC or 1999/45/EC)

-

Isopropyl oleate 1-5%

CAS number: 112-11-8

Classification

Not Classified

Classification (67/548/EEC or 1999/45/EC)

-

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments If REACH registration numbers do not appear the substance is either exempt from registration, does not meet the minimum volume threshold for registration, the registration date has not yet come due or this

information is proprietary. This product contains less than 3% DMSO measured by IP346 and shall therefore not be classified.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

2/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

Ingestion Get medical attention if any discomfort continues. Do not induce vomiting.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information If aspiration into the lungs is suspected, eg when vomiting, admit to hospital immediately.

Inhalation Upper respiratory irritation.

Ingestion May cause discomfort if swallowed. The product contains mineral oil, which if aspirated into

the lungs through vomiting after ingestion, may result in chemical pneumonia.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards Heat from fire could result in drums bursting

Hazardous combustion products

Protection against nuisance dust must be used when the airborne concentration exceeds 10

mg/m<sup>3</sup>. Oxides of carbon. Oxides of nitrogen. Fire may also create other unidentified organic gases some of which may be toxic.

### 5.3. Advice for firefighters

Protective actions during firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters

Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions for personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

### 6.2. Environmental precautions

Environmental precautions Contain spillage with sand or earth. Avoid the spillage or runoff entering drains, sewers or watercourses. The product is insoluble in water and will spread on the water surface.

### 6.3. Methods and material for containment and cleaning up

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

Methods for cleaning up Contain spillage with sand or earth. Collect spillage for reclamation or disposal in sealed containers via a licensed waste contractor. Avoid water contacting spilled material or leaking containers. Spillages or uncontrolled discharges into watercourses must be reported

immediately to the Environmental Agency or other appropriate regulatory body. In case of

spillage on water prevent the spread by use of suitable barrier equipment

#### 6.4. Reference to other sections

Reference to other sections for personal protection, see Section 8. See Section 11 for additional information on health hazards.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Avoid spilling. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Miscellaneous hazardous material storage.

#### 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

Occupational exposure limits

Lubricating Oil (Petroleum) C15-30 hydro treated neutral oil-based

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m<sup>3</sup>

Highly refined mineral oil

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH 10 mg/m<sup>3</sup>

Isopropyl oleate

Long-term exposure limit (8-hour TWA): OES 5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): OES 10 mg/m<sup>3</sup>

Highly refined mineral oil (C15 - C50)

Long-term exposure limit (8-hour TWA): 5 mg/m<sup>3</sup>

ACGIH = American Conference of Governmental Industrial Hygienists.

Highly refined mineral oil (CAS: 64742-52-5)

DNEL Industry - Inhalation; Long term local effects: 5.4 mg/m<sup>3</sup>

## 8.2. Exposure controls

Protective equipment

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

4/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn:

Chemical splash goggles or face shield.

Hand protection the most suitable glove should be chosen in consultation with the glove

supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Use barrier creams to prevent skin contact.

Hygiene measures Use engineering controls to reduce air contamination to permissible exposure level. Wash

promptly with soap and water if skin becomes contaminated.

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit.

Thermal hazards Not anticipated under normal conditions of use. The product is combustible if heated

excessively and an ignition source is applied.

Environmental exposure controls

Do not allow product to contaminate land.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Straw.

Odour Characteristic. Oil-like.

Odour threshold Not known.

pH Not applicable.

Melting point -54°C Pour point

Initial boiling point and range >320°C @ 101.3 kPa

Flash point 163°C PMCC (Pensky-Martens closed cup).

Evaporation rate Not relevant.

Upper/lower flammability or  
explosive limits

Not known.

Other flammability Product is not flammable but on excessive heating  
may become combustible.

Vapour pressure <0.1 kPa @ 20°C

Vapour density Not determined.

Relative density 0.860 @ 15.6°C

Solubility(ies) Insoluble in water. Soluble in the following materials:

Organic solvents.

Partition coefficient Not determined. log Kow: > 7 This figure is typical of  
mineral oil.

Auto-ignition temperature No specific test data are available.

Decomposition Temperature Not determined.

Viscosity 23 cSt @ 40°C

Explosive properties Not considered to be explosive.

5/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

Explosive under the influence  
of a flame

Not considered to be explosive.

Oxidising properties the mixture itself has not been tested but none of  
the ingredient substances meet the criteria  
for classification as oxidising.

## 9.2. Other information

Volatile organic compound the product is a complex mixture, the majority  
of which would not be classed as a VOC.

However, it cannot be discounted that trace or low levels of VOC's may  
be present.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this  
product.

### 10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as  
recommended.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Unlikely to occur under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Not expected to be highly toxic based on information of ingredients. Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Not expected to be highly toxic based on information of ingredients. Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Not determined. The product is unlikely to present any significant inhalation hazard at ambient temperatures and under normal conditions of use.

Serious eye damage/irritation

Serious eye damage/irritation May cause mild, short lasting discomfort to eyes.

Respiratory sensitisation

Respiratory sensitisation No evidence to suggest the product will be a respiratory sensitizer. Repeated exposure to oil mists may cause respiratory damage.

Skin sensitisation

Skin sensitisation Not expected to be a skin sensitizer based on information on components.

6/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

Carcinogenicity

Carcinogenicity This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been

demonstrated to contain less than 3% extractables by the IP346 test

Reproductive toxicity



Reproductive toxicity - fertility No data available to suggest the product will cause reproductive toxicity.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Kinematic viscosity > 20.5 mm<sup>2</sup>/s. The product viscosity is greater than the upper limit assigned for classification. Although not classified, the product contains mineral oil. If

aspirated into the lungs e.g. through vomiting after ingestion, admit to hospital immediately.

General information This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.

Eye contact May cause temporary eye irritation.

Acute and chronic health hazards

Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

7/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

SECTION 12: Ecological Information

Ecotoxicity Based on available data the classification criteria are not met.

Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

Not considered toxic to fish.

Acute toxicity - aquatic invertebrates

Based on available data the classification criteria are not met.

#### 12.2. Persistence and degradability

Persistence and degradability the product contains mineral oil which has limited biodegradability in CEC test methods but will biodegrade slowly in aerobic water and sediments and is considered ultimately biodegradable.

Stability (hydrolysis) The product is based on highly refined mineral oils that are considered stable to hydrolysis.

Biodegradation The product is not considered readily biodegradable, albeit the major constituents are expected to ultimately biodegrade.

Biological oxygen demand Not determined.

Chemical oxygen demand Not determined.

#### 12.3. Bio accumulative potential

Bio accumulative potential Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

Partition coefficient Not determined.  $\log K_{ow} > 7$  This figure is typical of mineral oil.

#### 12.4. Mobility in soil

Mobility The product is non-volatile. The product is insoluble in water and will spread on the water surface.

Henry's law constant Not determined.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

General information This material and its container must be disposed of as hazardous waste. Dispose of waste via a licensed waste disposal contractor.

Disposal methods Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste via a licensed waste disposal contractor.

Waste class European Waste Catalogue (EWC) = 13 01 13\* (other hydraulic oils)

### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

8/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to

Annex II of MARPOL 73/78

and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply)

Regulations 2009 (SI 2009

No. 716).

Control of Substances Hazardous to Health Regulations 2002 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation Dangerous Preparations Directive 1999/45/EC.

Dangerous Substances Directive 67/548/EEC.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the  
Council of 16  
December 2008 on classification, labelling and packaging of substances  
and mixtures (as  
amended).

Guidance Workplace Exposure Limits EH40.  
Safety Data Sheets for Substances and Preparations.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

9/10

Revision date: 06/04/2016 Revision: 2 Supersedes date: 10/11/2015

Stendec Crystal Oil 5.0wt

Australia - AICS

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines – PICCS

All the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

#### SECTION 16: Other information

Abbreviations and acronyms  
used in the safety data sheet

ADR: European Agreement concerning the International Carriage of  
Dangerous Goods by  
Road.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

GHS: Globally Harmonized System.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

REACH: Registration, Evaluation, Authorisation and Restriction of  
Chemicals Regulation

(EC) No 1907/2006.

vPvB: Very Persistent and Very Bio accumulative.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Regulatory Affairs

Revision date 06/04/2016

Revision 2

Supersedes date 10/11/2015

SDS number 21448

Hazard statements in full H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

10/10